



RHINO™

TRACTOR RIG/MOBILE DEFENSE UNIT
WITH MATT TRAKKER™
AND BRUCE SATO™
Action Figures



A. RHINO - Tractor Rig
Conventional
mode



B. RHINO - Mobile
Defense Unit
Action mode


WE REALLY DO CARE!

We make each toy with tender loving care. If there is a problem with your toy as you receive it, please let us know. Simply describe the problem and mail that description along with your name and address to:

KENNER PRODUCTS
Consumer Affairs Dept.
1014 Vine St.
Cincinnati, OH 45202



Action Figures

1. Helmets are removeable from action figures.
2. Figures will bend at knees and hips; arms and head will turn.



Label Placement

Apply labels by following numbers on label sheet and these illustrations:




Assembly


1. Attach radar dish to support arm as shown.
2. Radar dish support arm snaps into roof of sleeper compartment.




3. Slide sleeper compartment back to expose control center and rocket launcher as shown.



4. Raise sleeper compartment roof and lower ramp. Push rocket into rocket launcher spring until rocket snaps into position. Caution: KEEP HEAD AND FACE CLEAR OF LAUNCHING AREA.



5. Bend action figure(s) at the hips and knees. Open door on either side of cab to place action figure(s) in the cab.



Vehicle Operation

(Action Mode)

- A. Push chrome button behind sleeper compartment (on driver's side) to activate the ram bumper.




- B. Push chrome button behind sleeper compartment (on passenger side) to activate the passenger ejection seat.

NOTE: Sleeper compartment must be in the forward position to push buttons.




NOTE: For best results when ejecting figure: Figure's hands should be at knees or lower



- C. Pull out and lower exhaust pipes forward to convert to machine guns.


- D. Control center and rocket launcher:

1. Slide back sleeper compartment completely.
2. Open top sleeper door on roof behind radar dish to allow side ramp to drop and expose rocket launcher.



3. Rotate wind-foil to radar mode.
4. Press lever down on back of control center to launch rocket.


- E. All terrain vehicle pop-snaps off the rear of tractor frame as shown.



NOTE: Raise chrome hatch to disclose the driver compartment.


Vehicle Operation (Conventional Mode)

- A. Close hatch and push all terrain vehicle into back of tractor frame for pop-snap fit.




- B. Place rocket into rocket launcher.


- C. Lift side ramp up. Flip top sleeper door on roof to forward position to close.



- D. Slide sleeper compartment to forward position.
E. Convert machine guns back to exhaust pipes by raising to vertical position and pushing in.




- F. Push passenger seat back into interior of cab and close door.
G. Push ram bumper back into body of truck until it locks.
H. Rotate the radar dish back to wind foil position.



Re-Assembly

If the following items become disengaged from the vehicle through play or abuse re-assemble as shown.



1.

Chrome portion of ram bumper snaps onto bumper beam.



2.

Both mirrors snap back onto door as shown.



3.

Top sleeper door will snap into position to rear wall of sleeper compartment.



4.

Wheels snap onto axles and exhaust pipes snap into holes. Doors snap onto hinge pins.



5.

Side ramp snaps into floor of control center as shown.



6.

All terrain vehicle: A. Mud flaps snap into frame. B. Hatch lid snaps into rear.